



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
-----------------	-------------	----------------------	---------------------	------------------

10/713,898

10/18/2002

David C. Schwartz

960296.99047

4216

26734 7590 06/01/2009

QUARLES & BRADY LLP
33 E. MAIN ST, SUITE 900
P.O. BOX 2113
MADISON, WI 53701-2113

EXAMINER

MUMMERT, STEPHANIE KANE

ART UNIT

PAPER NUMBER

1637

NOTIFICATION DATE

DELIVERY MODE

06/01/2009

ELECTRONIC

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Notice of the Office communication was sent electronically on above-indicated "Notification Date" to the following e-mail address(es):

pat-dept@quarles.com

Office Action Summary	Application No. 10/713,898	Applicant(s) SCHWARTZ ET AL.	
	Examiner STEPHANIE K. MUMMERT	Art Unit 1637	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 28 April 2009.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-33 is/are pending in the application.
- 4a) Of the above claim(s) 1-20 and 28-33 is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 21-27 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____ |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08)
Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

Continued Examination Under 37 CFR 1.114

A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on April 28, 2009 has been entered.

Applicant's amendment filed on April 28, 2009 is acknowledged and has been entered. Claims 21 and 24 have been amended. Claims 22 and 25 have been canceled. Claims 21-27 are pending. Claims 1-20, 28-33 are withdrawn from consideration as being drawn to a non-elected invention.

Applicant's arguments, see p. 8-9, filed April 28, 2009, with respect to the rejection(s) of claim(s) 21, 23-25 and 27 under 35 U.S.C. 103 as being obvious over Shrewsbury in view of Bensimon have been fully considered and are persuasive. Therefore, the rejection has been withdrawn. However, upon further consideration, a new ground(s) of rejection is made in view of Perkins and Bensimon.

All of the remaining amendments and arguments have been thoroughly reviewed and considered but are not found persuasive for the reasons discussed below. Any rejection not reiterated in this action has been withdrawn as being obviated by the amendment of the claims.

The text of those sections of Title 35, U.S. Code not included in this action can be found in a prior Office action.

Claims 21-27 are discussed in this Office action.

This action is made NON-FINAL.

Previous Rejections

Claim Interpretation

The term ‘microchannel’ is being given the broadest reasonable interpretation in light of the specification. The term is not explicitly defined in the specification and the term is instead described in general terms and includes preferred embodiments. For example, the specification notes “the present invention fixes and straightens polymeric molecules using a channel sized to provide laminar flow of a liquid along a channel length, the channel having at least a first wall providing electrostatic attraction to the polymeric molecule” (paragraph 13 of PgPub). The specification also teaches “the channel may include a region of varying cross-section to promote a gradient in the laminar flow rate” (paragraph 29 of PgPub). Finally, regarding more specific dimensions, the specification notes “in one embodiment, the cross-sectional width of the microchannel is 50 micrometers and is preferably less than 100 micrometers. More generally, it is believed that the width will be between one and one hundred times the straightened length 40 of the polymeric molecule” (paragraph 51 of PgPub). While this portion of the specification suggests specific size of the microchannel, this teaching does not reach to the level of a specific

definition of the size at which a channel of the invention is a microchannel. Therefore, as the term has no specific size limitations associated with it, the term is being given the broadest reasonable interpretation and is being interpreted as reading on application of the method to a 'channel' of any size.

Regarding the term 'wall', the term is not given a specific definition and therefore is being given the broadest reasonable interpretation in light of the specification and is being interpreted as reading on DNA affixed or attached to any surface, including a rounded particle or bead.

Priority

The later-filed application must be an application for a patent for an invention which is also disclosed in the prior application (the parent or original nonprovisional application or provisional application). The disclosure of the invention in the parent application and in the later-filed application must be sufficient to comply with the requirements of the first paragraph of 35 U.S.C. 112. See *Transco Products, Inc. v. Performance Contracting, Inc.*, 38 F.3d 551, 32 USPQ2d 1077 (Fed. Cir. 1994).

The disclosure of the prior-filed application, Application No. 09/962802 (US Patent 6610256), 08/855410 (US Patent 6294136) and 08/415710 (US Patent 5720928), fails to provide adequate support or enablement in the manner provided by the first paragraph of 35 U.S.C. 112 for one or more claims of this application. Each of these patent disclosures and claims are directed to practice of the method on a planar surface and do not disclose or otherwise provide support for the practice of the method in channel or microchannel formats as claimed in the

Art Unit: 1637

instant specification. The only mention of channels or microchannels present in these prior filed applications is the use of a microchannel plate reader, a disclosure which does not support the method of straightening or fixing within a channel. While Applicant's mention of a laminar flowing chamber is noted, the specification of the priority documents specifically states "the laminar flow chamber should contain a thin space, for example, a space generated via 10-20 micron opening." This teaching is not the same as the micro-channel claimed. An opening with a "thin space" encompasses a narrow entry into a chamber with dimensions that widen to a size much larger than microns in dimension. Therefore, this teaching in the priority documents is not interpreted as sufficient to support a micro-channel.

Furthermore, it is also noted that the instant claims also require a step of "detaching the first wall from the micro-channel". This limitation is also lacking proper enabling support in the priority documents. Therefore, the claims are being afforded the priority date of the instant application, October 18, 2002.

New Grounds of Rejection

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

1. Claims 21, 23-25 and 27 are rejected under 35 U.S.C. 103(a) as being unpatentable over Perkins et al. (Science, 1995, 268(5207):83-87) in view of Bensimon et al. (US Patent 6,265,153; July 2001). Perkins teaches a method of elongating DNA molecules in laminar flowing liquid as observed through fluorescence (Abstract).

With regard to claim 21, Perkins teaches a method of straightening and fixing polymeric molecules comprising the steps of:

- (a) putting the polymeric molecules in a carrier liquid (Abstract, p. 83, col. 2, where the method is directed to stretching single, tethered DNA molecules in a uniform fluid flow; legend to Figure 1),
- (b) passing the polymeric molecules and carrier liquid through a micro-channel having a first wall to promote a laminar flow of carrier liquid in the micro-channel that straightens the polymeric molecule over the length whereby the polymeric molecule adheres (legend to Figure 1, where fluorescently labeled DNA molecules were tethered at one end and were straightened in fluid flow; see also p. 86, col. 3, #26, where the coverslip and slide were separated to form a channel through which the DNA and the fluid flows).

With regard to claim 24, Perkins teaches an embodiment of claim 21 further including the step of (d) optically inspecting the straightened polymeric molecule attached to the first wall (Abstract, p. 83, col. 2, where the method is directed to stretching single, tethered DNA molecules in a uniform fluid flow; legend to Figure 1A, where the DNA was fluorescently labeled and images were taken; see also Figures 2A and 2B, for instance, where extension versus velocity were measured).

With regard to claim 25, Perkins teaches an embodiment of claim 21 further wherein step (b) first causes a straightening of the polymeric molecule in the laminar flow and third causes attachment of the length of the polymeric molecule to the wall (legend to Figure 1, where fluorescently labeled DNA molecules were tethered at one end and were straightened in fluid flow; see also p. 86, col. 3, #26, where the coverslip and slide were separated to form a channel through which the DNA and the fluid flows).

Regarding claims 21, 24 and 25, while Perkins does not teach that the polymeric molecule adheres electrostatically to the first wall of the channel, Bensimon teaches a process for aligning a macromolecule onto the surface of a support and attaching the molecule to the first wall (Abstract).

With regard to claim 21, Bensimon teaches having a first wall electrostatically attractive to the polymeric molecule (col. 3, lines 58-65, where the adsorption of the macromolecule onto the surface can be controlled through surface charges and the electrostatic interactions between the surface and the molecule; col. 4, lines 52-61, where specific types of surface functionalities are described; see also col. 5, lines 4-23, for example) and causing the polymeric molecule to adhere to the first wall (Example 1, col. 17, lines 39-46, where capillary force on the DNA molecule(s) is sufficient to stretch the molecule; col. 4, lines 4-6, where it is noted that one aligned, the molecules adhere strongly to the surface).

With regard to claim 25, Bensimon teaches an embodiment of claim 21, wherein second causes attachment of one end of the polymeric molecule to the first wall (col. 3, lines 58-65, where the adsorption of the macromolecule onto the surface can be controlled through surface charges and the electrostatic interactions between the surface and the molecule).

With regard to claim 27, Bensimon teaches an embodiment of claim 21 further including the step of treating at least one wall of the microchannel to have a positive surface charge of predetermined density (col. 3, lines 58-65, where the adsorption of the macromolecule onto the surface can be controlled through surface charges and the electrostatic interactions between the surface and the molecule; col. 4, lines 52-61, where specific types of surface functionalities are described; see also col. 5, lines 4-23, for example).

With regard to claim 23, Bensimon teaches an embodiment of claim 21 further including the step of (d) applying restricting enzymes to the straightened polymeric molecule attached to the first wall (col. 12, lines 53-58, where physical mapping of genomic DNA can be carried out through a method comprising the steps of extraction, purification, cleavage with restriction enzyme followed by 'combing' on surfaces).

Regarding claim 23, Bensimon teaches that the method of physical mapping of polymeric molecules comprises thorough restriction digestion followed by fixation and elongation. However, it would have been prima facie obvious to one of ordinary skill in the art at the time the invention was made to modify the order of method steps taught by Bensimon to arrive at the claimed invention with a reasonable expectation of success. As noted in the MPEP § 2144.04 IV C, "Ex parte Rubin , 128 USPQ 440 (Bd. App. 1959) (Prior art reference disclosing a process of making a laminated sheet wherein a base sheet is first coated with a metallic film and thereafter impregnated with a thermosetting material was held to render prima facie obvious claims directed to a process of making a laminated sheet by reversing the order of the prior art process steps.). See also In re Burhans, 154 F.2d 690, 69 USPQ 330 (CCPA 1946) (selection of any order of performing process steps is prima facie obvious in the absence of new or unexpected results);

In re Gibson, 39 F.2d 975, 5 USPQ 230 (CCPA 1930) (Selection of any order of mixing ingredients is *prima facie* obvious.).” Therefore, in the absence of new or unexpected results, it would have been *prima facie* obvious to one of ordinary skill in the art to adjust the order of the method steps taught by Bensimon to arrive at the claimed invention with a reasonable expectation for success.

Further regarding claim 21, neither Perkins or Bensimon explicitly teach the term of “detaching” the first wall from the microchannel. Bensimon teaches analysis of the straightened polymeric molecules stretched out on a slide or other planar surface (Example 3, col. 19, lines 21-26, where the adhered molecules are analyzed after removal of the coverslip; see also Figures 7-9). Therefore, it would have been *prima facie* obvious to remove the slide or planar support with the straightened molecules attached for further processing, achieving the limitation of the claim as recited.

It would have been *prima facie* obvious to one of ordinary skill in the art at the time the invention was made to have applied the teachings of Bensimon to the method of DNA stretching and analysis taught by Perkins to arrive at the claimed invention with a reasonable expectation for success. Perkins teaches results “of the stretching of single, tethered DNA molecules in uniform fluid flow” and “we made our measurements by optically trapping a microsphere attached to one end of a DNA molecule, while the other end remained free... to investigate the hydrodynamic interaction between the polymer and the fluid (p. 83, col. 2-3). While Perkins teaches attachment to the wall through a tether, Perkins does not teach that the polymer adheres to the wall. Bensimon teaches a very similar method of DNA analysis, however an end of the

DNA is fixed and the DNA is aligned along the length of a wall, through progress of a meniscus instead of by laminar flow.

In view of the common teachings between Bensimon and Perkins, it would have been prima facie obvious to one of ordinary skill in the art to incorporate the format of a surface electrostatically attractive to a polymeric molecule to promote both adherence and straightening of polymeric molecules as taught by Bensimon into the format taught by Perkins. Furthermore, while it is noted that neither Bensimon or Perkins explicitly teach the term detachment of a wall or bead from within a channel, it was well known to one of ordinary skill in the art at the time the invention was made how to remove a bead or other type of surface, particularly with DNA attached, from a support, for further processing or analysis. Both Bensimon and Shrewbury teach the inclusion of glass coverslips (p. 579, col. 1). Bensimon specifically teaches "the combed YACs are denatured between two cover slips" and "the detection of hybrids is performed according to procedures known for in situ hybridizations" and "hybridized segments such as that shown in Fig. 10 are then observed by fluorescence microscopy" (Example 3, col. 19, lines 38-50). Therefore, despite the lack of specific teaching of the word detachment or detaching, it would have been prima facie obvious based upon the teaching of Bensimon of the desirability of having the stretched polymers or oligonucleotides present in a format available for further processing, analysis and detection, and therefore separate from the channel or means for separation. It also would have been prima facie obvious to envision a channel for straightening molecules using techniques including Bensimon and Perkins, and to include a format wherein the stretched DNA could be removed for further analysis while stretched on the surface. Therefore, as each of these elements were known in the prior art at the time of the invention and the

Art Unit: 1637

combination of these elements would provide a predictable result, it would have been *prima facie* obvious to one of ordinary skill in the art at the time the invention was made to have incorporated these elements to analyze straightened DNA molecules and then to recover these molecules following analysis through the removal of the bead or wall element from the other portions of the channel or support.

2. Claim 26 is rejected under 35 U.S.C. 103(a) as being unpatentable over Perkins in view of Bensimon as applied to claims 21, 23-25 and 27 above, and further in view of Kaiser et al. (Journal of Molecular Biology, 1963, vol. 6, p. 141-7). Perkins teaches a method of elongating DNA molecules in laminar flowing liquid as observed through fluorescence (Abstract).

With regard to claim 26, Kaiser teaches an embodiment of claim 21 wherein the polymeric molecules are treated with a condensation agent to collapse the polymeric molecules into shear resistant balls and wherein step (a) includes the step of placing the polymeric molecules and carrier liquid into a reservoir attached to the micro-channel and decondensing the polymeric molecules in the reservoir prior to step (b) (Table 1, where specific concentrations of spermine are disclosed and p. 142, 'materials and methods' heading where DNA was isolated from bacteriophage λ and incorporated into the assay; p. 146, where it is noted that the protective effect may result from the formation of soluble aggregates).

It would have been *prima facie* obvious to one of ordinary skill in the art at the time the invention was made to have included the teachings of Kaiser, regarding the protection of nucleic acids through the inclusion of spermine to the method of DNA stretching and analysis taught by Perkins and Bensimon to arrive at the claimed invention with a reasonable expectation for

Art Unit: 1637

success. As taught by Kaiser, “Spermine markedly protects DNA from breakage by rapid stirring” (Abstract, line 1). Kaiser also teaches that “When λ DNA was stirred in the presence of spermine as shown in Table 1 neither the infectivity nor the ratio of turbid plaques to total plaques changed from their initial values.” (p. 144, top paragraph). Finally, Kaiser concludes that “the data presented above show that polyamines, spermine in particular, protect λ DNA from breakage by rapid stirring” (p. 146, ‘discussion’ heading). The method taught by Perkins notes “direct visualization of the chain conformation gives us further insight into the deformation problem” and “because the chain is uniformly labeled with dye molecules and the imaging system has linear gain, the chain segment distribution may be inferred from intensity measurements from instantaneous images and time-averaged images (p. 86, col. 1, see also Figure 1A and Figure 4A). Considering these teachings, Perkins expresses motivation to maintain the polymer sequence in an intact linear format in order to facilitate the measurements regarding the length and flow rate analyses. Therefore, Perkins would have been motivated to incorporate solvents or steps directed specifically to the protection of the nucleic acid from breakage prior or during stretching. Considering the teachings of Kaiser towards the protective effects of spermine on DNA, one of ordinary skill in the art at the time the invention was made would have been motivated to incorporate spermine as taught by Kaiser into the method of DNA stretching and analysis taught by Perkins and Bensimon to achieve intact molecules prior to and during stretching and analysis.

Response to Arguments

Applicant's arguments with respect to claims 21 and 23-27 have been considered but are moot in view of the new ground(s) of rejection.

Relevant Prior Art

3. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. Chan et al. (US Patent 6,696,022; February 2004) teaches stretching of long DNA molecules using flow in channels (Abstract).

Conclusion

No claims are allowed.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to STEPHANIE K. MUMMERT whose telephone number is (571)272-8503. The examiner can normally be reached on M-F, 9:00-5:30.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Gary Benzion can be reached on 571-272-0782. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Stephanie K. Mummert/
Examiner, Art Unit 1637

SKM